

Document details

< Back to results | 1 of 1

Export Download Print E-mail Save to PDF Add to List More... >

ARPN Journal of Engineering and Applied Sciences Open Access
Volume 10, Issue 21, 2015, Pages 9682-9687

Power management controller for hybrid electric vehicle using fuzzy logic

(Article)

Mangun, M.F. Idres, M., Abdullah, K.

Department of Mechanical Engineering, Kulliyyah of Engineering, International Islamic University Malaysia, Kuala Lumpur, Malaysia

Abstract

View references (11)

This paper presenting a study on hybrid electric vehicle (HEV), using backward facing approach simulation or QSS approach and fuzzy logic power management controller for HEV. The software being used for modelling of HEV and fuzzy logic power management controller is MATLAB/Simulink. A comparison study was completed to investigate fuzzy logic power management controller capability compared to optimal ideal controller optimized by dynamic programming. It was concluded that fuzzy logic controller shows excellent performance as HEV final battery SOC lies within 2.8% margin of that dynamic programming. Then, a comparison study was completed after addition of supercapacitor set to this HEV against battery only supply. After fuzzy logic PMC modified to include supercapacitors addition, it was observed that fuel economy improved by 54.34% from 57.6 mpg to 88.9 mpg, and total energy consumption reduced by 27.27%. © 2006-2015 Asian Research Publishing Network (ARPN).

Author keywords

EV HEV Hybrid electric vehicle Power management controller QSS Quasi-static simulation Supercapacitor

Funding details

Funding number	Funding sponsor	Acronym
FRGS-13-022-0253	Ministry of Higher Education	MOHE

ISSN: 18196608 Document Type: Article
Source Type: Journal Publisher: Asian Research Publishing Network
Original language: English

References (11)

View in search results format >

All Export Print E-mail Save to PDF Create bibliography

- 1

Cerofolini, A.
(2014) *Optimal Supervisory Control of Hybrid Vehicles*. Cited 2 times.
Italy: University of Bologna
- 2

Cerovsky, Z., Mindl, P.
(2005) *Regenerative braking by electric hybrid vehicles using super capacitor and power splitting generator*
Prague, Czech Republic

Metrics View all metrics >

1 Citation in Scopus
0.68 Field-Weighted
Citation Impact

Cited by 1 document

Design Optimization of a Hybrid Electric Vehicle Powertrain
Mangun, F. , Idres, M. , Abdullah, K.
(2017) *IOP Conference Series: Materials Science and Engineering*

View details of this citation

Inform me when this document is cited in Scopus:
Set citation alert > Set citation feed >

Related documents

Find more related documents in Scopus based on:
Authors > Keywords >

□ 3 Danhong, Z., Yan, Z., Kai-Pei, L., Qing-Quan, C.
A study on fuzzy control of energy management system in hybrid electric vehicle
(2009) *Asia-Pacific Power and Energy Engineering Conference, APPEEC*, art. no. 4918119. Cited 7 times.
ISBN: 978-142442487-0
doi: 10.1109/APPEEC.2009.4918119
[View at Publisher](#)

□ 4 Guzella, L., Amstutz, A.
(2005) *The QSS Toolbox Manual*, pp. 1-43. Cited 25 times.

□ 5 Lv, Y., Yuan, H., Liu, Y., Wang, Q.
Fuzzy logic based energy management strategy of battery-ultracapacitor composite power supply for HEV
(2010) *Proceedings - 2010 1st International Conference on Pervasive Computing, Signal Processing and Applications, PCSPA 2010*, art. no. 5636014, pp. 1209-1214. Cited 11 times.
ISBN: 978-076954180-8
doi: 10.1109/PCSPA.2010.297
[View at Publisher](#)

□ 6 Rasheduzzaman, M.
Modeling and Simulation of Power Flow in an Electric Scooter for Energy Storage Through Regenerative Braking using Ultracapacitors and Lithium-Ion Batteries
(2010) *Proquest*

□ 7 Taylor, B., Sun, Z., Wang, J., Howe, D.
(2006) *Electrical Torque Boosting of Down-Sized ICE Vehicles*, pp. 1-5.
IEEE

□ 8 Wu, J., Zhang, C.-H., Cui, N.-X.
Fuzzy energy management strategy for a hybrid electric vehicle based on driving cycle recognition
(2012) *International Journal of Automotive Technology*, 13 (7), pp. 1159-1167. Cited 28 times.
doi: 10.1007/s12239-012-0119-z
[View at Publisher](#)

□ 9 Yu, Y., Wang, Q., Hu, C., Wang, B.
The feasibility and superiority of super-capacitors on mild hybrid electric vehicle
(2009) *2009 IEEE International Conference on Mechatronics and Automation, ICMA 2009*, art. no. 5246731, pp. 1347-1351. Cited 4 times.
ISBN: 978-142442693-5
doi: 10.1109/ICMA.2009.5246731
[View at Publisher](#)

□ 10 Zhang, H., Xu, G., Li, W., Zhou, M.
Fuzzy logic control in regenerative braking system for electric vehicle
(2012) *2012 IEEE International Conference on Information and Automation, ICIA 2012*, art. no. 6246881, pp. 588-591. Cited 6 times.
ISBN: 978-146732238-6
doi: 10.1109/ICInfA.2012.6246881
[View at Publisher](#)

- 11 Zou, Z., Cao, J., Cao, B., Chen, W.
(2014) *Evaluation strategy of regenerative braking energy for supercapacitor vehicle*, p. 6.
Elsevier (ISA Transactions)

🔍 Mangun, M.F.; Department of Mechanical Engineering, Kuliyah of Engineering, International Islamic University
Malaysia, Kuala Lumpur, Malaysia; email:firdause.mangun@live.iium.edu.my

© Copyright 2015 Elsevier B.V., All rights reserved.

◀ Back to results | 1 of 1

⤴ Top of page

About Scopus

What is Scopus

Content coverage

Scopus blog

Scopus API

Privacy matters

Language

日本語に切り替える

切换到简体中文

切换到繁體中文

Русский язык

Customer Service

Help

Contact us

ELSEVIER

[Terms and conditions](#) [Privacy policy](#)

Copyright © 2017 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of
Elsevier B.V.

Cookies are set by this site. To decline them or learn more, visit our [Cookies page](#).

 RELX Group™